

**DuPont™ Tyvek® Spunbond Polyethylene**

Version 2.0

Revision Date 03/18/2015

Ref. 150000002811

This document is for information only, provided voluntarily and not subsequent to regulatory requirement.

**PRODUCT AND CONTACT INFORMATION****Product identifier**

Product name : DuPont™ Tyvek® Spunbond Polyethylene  
Synonyms : formerly MSDS SP6013 and SP6047  
Company : DuPont  
1007 Market Street  
Wilmington, DE 19898  
Telephone : +1-800-441-7515 (outside the U.S. +1-302-774-1000)

**Emergency telephone number**

Emergency contact : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

**HAZARDS IDENTIFICATION**

## Emergency Overview

This product has no known adverse effect on human health.

**Physical and chemical properties**

Form : sheets, roll  
Color : white  
Odor : none  
Melting point/range : 135 °C (275 °F)  
Viscosity : no data available  
Viscosity, kinematic : no data available

**Stability and reactivity**Hazardous decomposition products : Carbon dioxide (CO<sub>2</sub>), Carbon monoxide**INFORMATION ON INGREDIENTS**

Component	CAS-No.	Concentration
Nonwoven Fabric		100 %



**DuPont™ Tyvek® Spunbond Polyethylene**

Version 2.0

Revision Date 03/18/2015

Ref. 150000002811

**FIRST AID MEASURES**

**Description of first aid measures**

General advice : No hazards which require special first aid measures.

**FIREFIGHTING MEASURES**

**Special hazards arising from the article**

Specific hazards during firefighting : Burning is accompanied by melting and dripping which may cause the fire to spread.  
: Hazardous combustion products:  
: Carbon monoxide  
: Carbon dioxide (CO2)

**Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.  
Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**6. ACCIDENTAL RELEASE MEASURES**

**Methods and materials for containment and cleaning up**

Methods for cleaning up : Not applicable

**HANDLING AND STORAGE**

**Precautions for safe handling**

Advice on safe handling : Material can create slippery conditions. Take precautionary measures against static discharges.  
  
Minimize the generation and accumulation of dust.



## DuPont™ Tyvek® Spunbond Polyethylene

Version 2.0

Revision Date 03/18/2015

Ref. 150000002811

### Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment  
Respiratory protection : Respiratory protection should not be required for normal use and handling.

## DISPOSAL CONSIDERATIONS

Waste treatment methods  
Product : Where possible recycling is preferred to disposal or incineration.

## OTHER INFORMATION

### Restrictions on use

Do not use DuPont materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of the DuPont POLICY Regarding Medical Applications and DuPont CAUTION Regarding Medical Applications.

### Further information

The DuPont Oval Logo, DuPont™, Tyvek®, 2FS™, Asuron™ are trademarks of E. I. du Pont de Nemours and Company

The information provided in this Article Information Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information



**DuPont™ Tyvek® Spunbond Polyethylene**

Version 2.0

Revision Date 03/18/2015

Ref. 150000002811

relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.